



DXA

ducted systems



Turn to the Experts

Ultimate in Total Comfort

Ducted air conditioning gives you total climate comfort with the convenience and flexibility to cool and heat your home just how you like it, all year round.

At Carrier we understand the long-term investment of purchasing ducted air conditioning; buying Carrier gives you years of comfort for you and your family. You can depend on your Carrier Factory Authorised Dealer to give you the best possible system for your home.



Summer Cool and Winter Warmth

Carrier ducted systems provide cooling, dehumidification and heating whilst filtering the air. This creates the perfect indoor climate year round in your home. You can be warm and snug in winter and delightfully cool in summer.

Streamlined ceiling diffusers distribute the cooled or heated air throughout your home.



Return air grille extracts air from the room to replace with filtered & conditioned air.

The ducted system draws air through the return air grille. The air is automatically filtered and then passed through a refrigeration coil, which either heats or cools the air. The conditioned air is transferred into the ducting and out through streamlined grilles to your rooms.


During summer, the heat from the air inside your home is absorbed and dissipated outside. The dehumidification effect reduces the moisture content in the air for even greater relief on those hot and sticky days.

Energy Efficient and Superior Design

Carrier reverse cycle ducted air conditioning is up to three times more energy efficient than conventional electric heating. So not only will you have year round comfort, but it's cost effective too.

Carrier's advanced computer design technology ensures each system component is perfectly matched for optimum performance and energy efficiency.

Heating System & Efficiency



*Heat Pump heating output is reduced below 5°C.

Source: The Earth Exchange.

Exceptional Service and Warranty

When you purchase Carrier you have the satisfaction of knowing you've purchased a premium quality product. All Carrier residential ducted air conditioning systems carry a comprehensive 5 year parts and labour warranty.



Carrier also offers unequalled service and support with the largest service network in Australia.

So you can rest assured that your Carrier ducted air conditioning system will be serviced by specially trained and accredited service technicians for the life of your system, no matter where you are in Australia.



DXA Series

The Carrier product range has a long standing history of performance and reliability across a myriad of residential and light commercial applications. From the smallest townhouse to large zoned installations, the Carrier DXA range has a model that perfectly matches your requirement.

The Carrier DXA range is quiet, cost effective, simple to install and easy to maintain, the combination of all of these things offer you total peace of mind and confidence in your selection.

The Carrier DXA range will give you many years of trouble free operation, and outstanding value for money; fully backed by the Carrier corporation.

The Carrier DXA series coupled with the premium Carrier Xpression range allows you to choose a perfectly tailored solution for your air conditioning needs, whether they be big or small, single or multi storey.



38DXA Range



40QXA series

Thermostats

(Non-programmable) Wall Control

Comfort One provides an easy to use wall control, so you can adjust the temperature manually.

- Compact on/off system control
- Fan only switch
- Auto change over from heating to cooling
- Battery Free
- Clean Filter Indicator



(Programmable) Wall Control

Comfort Two is a fully programmable wall control with a seven day timer, for total comfort every day. Adaptive intelligence (smart start) turns the system on in time to reach your set temperature at the set time.

- Energy saving program
- Program up to four individual time periods per day on each day of the week
- Auto change over from heating to cooling
- Battery Free
- Clean Filter Indicator



Comfort Zone™ II

(Advanced programmable) Wall Control

Comfort Zone™ II is the ultimate in prestigious climate control for your home. It enables you to program up to eight zones with individual time and temperature settings throughout your home for absolute comfort. Carrier's Comfort Zone™ II control saves up to 30% system energy consumption over other controller systems. You can tailor your air conditioning to suit the precise requirements of your home.



Comfort Zone™ II Wall Control

Efficient Climate control with Carrier

Comfort Zone

By delivering conditioned air only to areas that are in use, a zoning system eliminates the needless waste of keeping unused areas comfortable. In fact, the systems can actually pay for itself with the money you'll save on your utility bills.



8 Zoning Points & Controller System

Your Carrier Specialist Dealer can help estimate the cost savings you can expect. When they design your fully customised system.

Specifications

Condensing Units (CDU), Heating And Cooling (Reverse Cycle)

Model Name		38DXA330-7	38DXA336-7	38DXA148-9	38DXA165-9
Rated capacity (kW)	Cool	8.50	10.20	13.90	16.90
	Heat	8.70	9.60	14.00	17.70
Functions		Heat pump	Heat pump	Heat pump	Heat pump
Electrical (V-ph-Hz)		240-1-50	240-1-50	415-3-50	415-3-50
Power input (kW)	Cool	3.38	3.46	5.56	5.72
	Heat	2.97	3.05	4.42	5.50
Amperes (A)	Cool	15.10	16.98	12.20	10.29
	Heat	14.68	14.47	11.25	10.31
Compressor type		Scroll	Scroll	Scroll	Scroll
Airflow (L/s)	Outdoor H	1000	1000	1608	1554
Sound Power (dBA)	Outdoor L(LwA)	66	66	68	66
Dimensions (mm)	Outdoor Nett	800x1065x300	800x1065x300	800x1065x300	1130x945x433
Weight (kG)	Outdoor Nett	80	84	119	141

Fan Coil Units (FCU), Heating And Cooling (Reverse Cycle)


Model Name		40QXA10-7	40QXA12-7	40QXA15-7	40QXA18-7
Dimensions (mm) HxWxD		430x545x1100	430x545x1100	535x610x1190	535x610x1190
Weight (kG)		50.80	55.80	70.90	75.00
Electrical (V-ph-Hz)		240-1-50	240-1-50	240-1-50	240-1-50
Full Load Amps		4.3	4.0	4.0	4.7
Control Voltage		24	24	24	24
Duct Spigot Dia (mm)	Supply	406	406	457	508
	Return	406	406	457	508
Air Flow Range (L/s)		380-570	460-600	640-850	760-950
Motor shaft watts		315	315	315	600
Refrigeration Conn.	Suction	3/4"	3/4"	3/4"	3/4"
	Liquid	3/8"	3/8"	3/8"	3/8"

Due to our policy of continuous improvement, product specifications and details are subject to change without notice.

Equipment rated in accordance with MEPS AS 3823.3 - 2003

E. & O.E.

Distributed by:



Turn to the Experts

34-40 Garden Boulevard, Dingley, Victoria 3172

www.carrieraircon.com.au